

```
@InProceedings{REIS2020,  
author="dos Reis, Alexandre Soares  
and Gielen, Elien  
and Wopereis, Ko  
and Pasternak, Marcel  
and Soo{"a"}{"a"}r, Vaido  
and Schneider, Tobias  
and Duarte, Abel J.  
and Malheiro, Benedita  
and Justo, Jorge  
and Ribeiro, Cristina  
and Silva, Manuel F.  
and Ferreira, Paulo  
and Guedes, Pedro",  
editor="Silva, Manuel F.  
and Lu{'i}s Lima, Jos{'e}  
and Reis, Lu{'i}s Paulo  
and Sanfeliu, Alberto  
and Tardioli, Danilo",  
title="Smart Companion Pillow -- An EPS@ISEP 2019 Project",  
booktitle="Robot 2019: Fourth Iberian Robotics Conference",  
year="2020",  
publisher="Springer International Publishing",  
address="Cham",  
pages="465--476",  
abstract="This paper describes the design and development of a Smart  
Companion Pillow, named bGuard, designed by a multinational and  
multidisciplinary team enrolled in the European Project Semester (EPS) at  
Instituto Superior de Engenharia do Porto (ISEP) in the spring of 2019.  
Nowadays, parents spend most of the day at work and become naturally worried  
about the well-being of their young children, specially babies. The aim of  
bGuard is to provide a 24-hour remotely accessible baby monitoring service,  
contributing to reduce parenting stress. The team, based on the survey of  
related products, as well as on marketing, sustainability, ethics and  
deontology analyses, developed a remotely interactive Smart Companion Pillow  
to monitor the baby's health and room air quality. The collected data, once  
it is saved on an Internet of Things (IoT) platform, becomes remotely  
accessible. The bGuard pillow, thanks to its shape, reduces the risk of the  
baby rolling from back to tummy, lowering the risk of Sudden Infant Death  
Syndrome (SIDS).",  
isbn="978-3-030-36150-1"  
}  
  
@article{LEE2018,  
title = "Design and Implementation of Monitoring System Architecture for  
Smart Bicycle Platform",  
journal = "Procedia Computer Science",  
volume = "134",  
pages = "464 - 469",  
year = "2018",  
note = "The 15th International Conference on Mobile Systems and Pervasive
```

```
Computing (MobiSPC 2018) / The 13th International Conference on Future
Networks and Communications (FNC-2018) / Affiliated Workshops",
issn = "1877-0509",
doi = "https://doi.org/10.1016/j.procs.2018.07.182",
url = "http://www.sciencedirect.com/science/article/pii/S1877050918311475",
author = "YeongKyun Lee and Jongpil Jeong",
keywords = "Remote monitoring, Wireless sensor network, Smart phone based
monitoring, Bicycle monitoring",
abstract = "This paper proposes the smart phone as a central monitoring
device for the bicycle and the WIFI network as a communication channel
between the smart phone and the sensors. It will show how to implement the
sensor boards with WIFI and relevant firmware, the software on the smart
phone to communicate with the sensor boards and the evaluation results with
the open source software called Goldencheetah. The knowledge in this paper
is not limited to bicycles but can be expanded to any other monitoring
systems using the remote sensors based on smart phone."
}
```

```
@article{RANJITH2020,
title = "Prediction of Exhaust Gas Emission characteristics using Neem oil
blended bio- diesel in diesel engine",
journal = "Materials Today: Proceedings",
volume = "21",
pages = "870 - 875",
year = "2020",
note = "International Conference on Recent Trends in Nanomaterials for
Energy, Environmental and Engineering Applications",
issn = "2214-7853",
doi = "https://doi.org/10.1016/j.matpr.2019.07.706",
url = "http://www.sciencedirect.com/science/article/pii/S2214785319329116",
author = "Ranjith and V. Velmurugan and S. Thanikaikarasan",
keywords = "Accelerometer, Diesel engine, Neem oil, Renewable, Alternative,
Viscosity, Volatility",
abstract = "As a renewable, sustainable and alternative fuel for diesel
engine, biodiesel instead of diesel has been increasingly fuelled to study
its effects on engine performances and emissions. Biodiesel production is a
modern and technological area for researchers due to constant increase in
the prices of petroleum, diesel, and environmental advantages. Increased
environmental awareness and depletion of resources are driving industry to
develop viable alternative fuels from renewable resources that are
environmentally more acceptable. Neem oil is a potential alternative fuel.
The most detrimental properties of neem oils are its high viscosity and low
volatility, and these cause several problems during their long duration
usage in diesel engines. From the review it is found that the use of
biodiesel leads to the substantial reduction in CO2, HC, CO and NOx
emissions."
}
```

```
@article{SOBHANI2018,
title = "Impact of smartphone distraction on pedestrians' crossing
behaviour: An application of head-mounted immersive virtual reality",
```

```
journal = "Transportation Research Part F: Traffic Psychology and Behaviour",
volume = "58",
pages = "228 - 241",
year = "2018",
issn = "1369-8478",
doi = "https://doi.org/10.1016/j.trf.2018.06.020",
url = "http://www.sciencedirect.com/science/article/pii/S1369847818300998",
author = "Anaë Sobhani and Bilal Farooq",
keywords = "Head-mounted immersive virtual reality, Pedestrian, Distracted street crossing, Multi-tasking, Smartphone use, Surrogate analysis, Smart LED lights safety treatment",
abstract = "A novel head-mounted virtual immersive/interactive reality environment (VIRE) is utilized to evaluate the behaviour of participants in three pedestrian road crossing conditions while 1) not distracted, 2) distracted with a smartphone, and 3) distracted with a smartphone with a virtually implemented safety measure on the road. Forty-two volunteers participated in our research who completed thirty successful (complete crossing) trials in blocks of ten trials for each crossing condition. For the two distracted conditions, pedestrians are engaged in a maze-solving game on a virtual smartphone, while at the same time checking the traffic for a safe crossing gap. For the proposed safety measure, smart flashing and color changing LED lights are simulated on the crosswalk to warn the distracted pedestrian who initiates crossing. Surrogate safety measures as well as speed information and distraction attributes such as direction and orientation of participant's head were collected and evaluated by employing a Multinomial Logit (MNL) model. Results from the model indicate that females have more dangerous crossing behaviour especially in distracted conditions; however, the smart LED treatment reduces this negative impact. Moreover, the number of times and the percentage of duration the head was facing the smartphone during a trial and a waiting time respectively increase the possibility of unsafe crossings; though, the proposed treatment reduces the safety crossing rate. Hence, our study shows that the smart LED light safety treatment indeed improves the safety of distracted pedestrians and enhances the successful crossing rate."
}
```

```
@article{OBAYASHI2020,
title = "Pilot and Feasibility Study on Elderly Support Services Using Communicative Robots and Monitoring Sensors Integrated With Cloud Robotics",
journal = "Clinical Therapeutics",
year = "2020",
issn = "0149-2918",
doi = "https://doi.org/10.1016/j.clinthera.2020.01.001",
url = "http://www.sciencedirect.com/science/article/pii/S0149291820300278",
author = "Kazuko Obayashi and Shigeru Masuyama",
keywords = "activities of daily living, cloud robotics, communicative robot, elderly care, robotics utilization, support services",
abstract = "Purpose
This pilot before-after study investigated the possible effects of communicative robots, used with a sensing system supported by cloud
```

robotics, in caring for elderly people.

Methods

Two elderly women in nursing homes and 4 care workers participated in the trial. The overnight life rhythm assessments of the study participants and care workers were surveyed to determine when and how the robots should be integrated into care. The system consisted of the robot Sota, a noncontact vital sensor and a sheet-shaped bed sensor. Real-time sensing data and conversations between the participants and robots were sent to the servers, prompting a quick verbal response by the robot supported by cloud robotics.

Findings

Care workers devoted 3 h to the maintenance of records during their most stressful periods. Automatic recording of vital information using robot sensors can improve the quality of nursing care work. Care workers' stress levels were maximized when responding to nurse calls. Temporary responses to nurse calls by the robots may help to effectively reduce the burden on nursing care workers. Robots can stimulate elderly people to communicate more with others (P < 0.05). Appropriate vocalization by communicative robots may prevent the deterioration of quality of life in elderly individuals.

Implications

Communicative robots, used with a sensing system, may stimulate elderly people to activate a communication link with others and help care workers to effectively reduce the burden during the night shift. A follow-up study involving a broader research program on communicative robots and elderly care would be beneficial."

}

@article{THAPA2019,

title = "Study on the wintry thermal improvement of makeshift shelters built after Nepal earthquake 2015",

journal = "Energy and Buildings",

volume = "199",

pages = "62 - 71",

year = "2019",

issn = "0378-7788",

doi = "https://doi.org/10.1016/j.enbuild.2019.06.031",

url = "http://www.sciencedirect.com/science/article/pii/S0378778819306309",

author = "Rita Thapa and Hom Bahadur Rijal and Masanori Shukuya and Hikaru Imagawa",

keywords = "Nepal, Earthquake, Temporary shelters, Indoor air temperature, Thermal insulation, Thermal improvement",

abstract = "After massive earthquake 2015, thousands of Nepalese who lost their permanent houses by the hardest hits were forced to live in makeshift temporary shelters. The field measurement on indoor thermal environment in five shelters was conducted in one of the district hit by the earthquake, Lalitpur, in winter. The mean indoor and outdoor air temperatures during the measured nighttime were found to be 10.3 °C and 7.6 °C, respectively, and the nocturnal indoor air temperature remained below the lowest acceptable temperature of 11 °C. This result assured that these shelters are not good for winter and must create various problems. We therefore analyzed the thermal characteristics of those shelters based on the measured results in

order to seek a possible improvement. The total heat loss coefficient estimated per floor area in five shelters ranged from 11.3 to 15.2 W/(m²·K); that is thermal insulation was very low. We made a simple numerical analysis on the variation of indoor air temperature with the assumption of improved thermal characteristics and thereby found that it needs to be reduced about 2~7 W/(m²·K) to have the indoor air temperature higher than 11 °C for 70% of the whole nocturnal hours. Such reduction of heat loss was found to be realized by adding affordable materials, e.g., cellular polyethylene foam and clothes for respective walls and roof. Thus, the knowledge obtained from this study should hopefully be applied to actual improvement of indoor thermal environment in existing shelters and also to a development for the preparation against future disaster."

```
@MISC{ref2me,
  author = {MySelf},
  editor = {The Publisher},
  title = {The paper title},
  titleaddon = {Title add on},
  subtitle = {Subtitle},
  date = {Today},
  month = {Month},
  year = {2017},
  howpublished = {How published},
  type = {Type},
  version = {Version},
  language = {English},
  note = {Note},
  location = {Location},
  url = {http://www.myurl.com},
  urldate = {URL date},
  addendum = {addendum},
  pubstate = {pubstate},
  doi = {doi},
  eprint = {eprint},
  eprintclass = {eprintclass},
  eprinttype = {eprinttype},
  isbn = {isbn},
  address = {[Accessed in April 2021]},
  organization = {The organization},
  booktitle = {The title of the book},
}
```

```
@MISC{gartner2021,
  author = "{Gartner}",
  title = "{Gartner Magic Quadrant for Data Science and Machine Learning Platforms}",
  url = "{https://www.gartner.com/en/documents/3998753}",
  urldate = "{March 2021}",
  year = "{2021}",
  address = "[Accessed in April 2021]"}"
```

```
}

@MISC{android41,
  author = "{Android Open Source Project}",
  title = "{Android Developers: Android 4.1 APIs}. January 2015. [Accessed in April, 2017]",
  url =
"{http://developer.android.com/about/versions/android-4.1.html}",
  urldate = "{May 2014}",
  year = "{2014}",
  address = "{[Accessed in April 2017]}",
}

@MISC{cloudexpo2008,
  AUTHOR = "{Cloud Expo}",
  title = "{Twenty-One Experts Define Cloud Computing}",
  url = "{http://cloudcomputing.sys-con.com/node/612375}",
  urldate = "{October 2013}",
  year = "{2008}",
  address = "{[Accessed in April 2021]}",
}

@BOOK{bandyopadhyay2013unsupervised,
  title={Unsupervised Classification: Similarity Measures, Classical and Metaheuristic Approaches, and Applications},
  author={Bandyopadhyay, Sanghamitra and Saha, Sriparna},
  year={2013},
  publisher={Springer}
}

@ARTICLE{llorente2009virtual,
  author ="{Sotomayor, B. and Montero, Ruben S. and Llorente, I.M. and Foster, I.}",
  journal ="Internet Computing, IEEE",
  title ="{Virtual Infrastructure Management in Private and Hybrid Clouds}",
  year = "{2009}",
  month = "{Sept}",
  volume = "{13}",
  number = "{5}",
  pages = "{14-22}",
}

@article{Mulder2013428,
  title = "Development of a Motion System for an Advanced Sailing Simulator ",
  journal = "Procedia Engineering ",
  volume = "60",
```

```

number = "0",
pages = "428 - 434",
year = "2013",
note = "6th Asia-Pacific Congress on Sports Technology (APCST) ",
issn = "1877-7058",
doi = "http://dx.doi.org/10.1016/j.proeng.2013.07.030",
url = "http://www.sciencedirect.com/science/article/pii/S1877705813010813",
author = "Fabian A. Mulder and Jouke C. Verlinden",
keywords = "Sailing",
keywords = "Dinghy",
keywords = "Virtual reality",
keywords = "Training simulation",
keywords = "Force feedback ",
abstract = "Abstract To train competitive sailing in a virtual setting,
motion of the boat as well as haptic feedback of the sail lines is
essential. When discussing virtual environments (VEs) the concept of
presence is often used. In this study we develop a sailing simulator motion
system to research what factors contribute to the participants' sensation of
presence when sailing in a VE. The developed simulator includes the
development of a mainsheet force feedback system and a novel motion
platform, connected to a high-quality graphics sailing simulation. In future
research, the developed system will be used to study which sail training
type can be performed in simulated environments, and if the system can be
used as a valid testbed for perception-action experiments. "
}

```

```

@article{Bouakaz2014,
  title = {CIRDO: Smart companion for helping elderly to live at home for
longer},
  journal = {IRBM},
  volume = {35},
  number = {2},
  pages = {100-108},
  year = {2014},
  issn = {1959-0318},
  doi = {https://doi.org/10.1016/j.irbm.2014.02.011},
  url =
{https://www.sciencedirect.com/science/article/pii/S1959031814000335},
  author = {S. Bouakaz and M. Vacher and M.-E. {Bobillier Chaumon} and F.
Aman and S. Bekkadjia and F. Portet and E. Guillou and S. Rossato and E.
Desserée and P. Traineau and J.-P. Vimont and T. Chevalier},
  abstract = {Cirido project is intended to establish new healthcare
systems to ensure the safety at home of seniors and people with decreasing
independence. In particular, extending "e-lio footnote
http://www.technosens.fr/" devise, Cirido aims to develop an audio/video-
based system which makes it possible for elderly to live with a sufficient
degree of autonomy. To achieve this goal, generic purposes on video analysis
and audio processing are discussed and implemented in the same process.
Audio and video analysis algorithms are launched simultaneously and thinks
to GPU implementation, the tasks are done in real time. To comply with the
requirements set out in the Cirido project namely: respect privacy and

```

preserve personal data, the processing tasks is performed through background tasks, without any human intrusion. In order to have different types of fall for our experiences, multiple scenarios were designed and performed by several persons. Besides the technical aspect, the project also focuses on generic technology validation by potential users and their human environment (family, caregivers/care takers...). Psychological and ergonomic assessment on the use of services developed was conducted. It focused on the usefulness, usability and accessibility and acceptance of the tool. This evaluation was completed by critical investigation of knowledge acquired by professionals (geriatricians, caregivers school and associations).}

```
@MISC{T52022,  
  AUTHOR = "{Gema Cifuentes and Jacobine Camps and Júlia Nascimento and Julian Bode}",  
  title  = "{Smart Companion Wiki}",  
  url    = "{https://www.eps2022-wiki5.dee.isep.ipp.pt/}",  
  urldate = "{March 2022}",  
  year   = "{2022}",  
  address = "{[Accessed in March 2022]}",  
}
```

```
@MISC{vanlith2011,  
  author = "{[Van Lith, Theresa and Fenner, Patricia and Schofield, Margot]}",  
  title  = "{The lived experience of art making as a companion to the mental health recovery process. Disability and rehabilitation}",  
  url    =  
  "{https://www.researchgate.net/publication/45582277_The_lived_experience_of_art_making_as_a_companion_to_the_mental_health_recovery_process}",  
  urldate = "{March 2022}",  
  year   = "{2011}",  
  address = "{[Accessed in March 2022]}",  
}
```

```
@MISC{Khan2021,  
  author = "{Rafiur Khan and Abdullah Al Sohel and Farhana Azad and Shreyashee and Shamima Hossain and Mahin Fiaz}",  
  title  = "{Smart Companion Agent for Mental Well-being through Deep Learning and NLP}",  
  url    = "{http://dspace.bracu.ac.bd/xmlui/handle/10361/14973}",  
  urldate = "{March 2022}",  
  year   = "{2021}",  
  address = "{[Accessed in March 2022]}",  
}
```

```
@MISC{Serin2018,  
  author = "{Amy Serin and Nathan S. Hageman and Emily Kade}",  
  title  = "{The Therapeutic Effect of Bilateral Alternating Stimulation Tactile Form Technology on the Stress Response}",  
  url    = "{https://openaccesspub.org/jbbs/article/698}",  
}
```

```
    urldate = "{March 2022}",
    year     = "{2018}",
    address  = "[[Accessed in March 2022]]",
}

@MISC{Harwood2014,
  author = "{Harwood, J. and Dooley, J. J. and Scott, A. J. and Joiner, R}",
  title  = "{Constantly connected - The effects of smart-devices on mental health}",
  url    =
"{https://researchportal.bath.ac.uk/en/publications/constantly-connected-the-effects-of-smart-devices-on-mental-health}",
  urldate = "{March 2022}",
  year     = "{2014}",
  address  = "[[Accessed in March 2022]]",
}

@MISC{Holland2020,
  author = "{Holland K.}",
  title  = "{Everything you need to know about anxiety}",
  url    = "{https://www.healthline.com/health/anxiety}",
  urldate = "{March, 2022}",
  year     = "{2020}",
  address  = "[[Accessed in March 2022]]",
}

@MISC{Monica2021,
  author = "{Monica bhyrapa}",
  title  = "{Spectrum}",
  url    = "{https://www.behance.net/gallery/124730555/Spectrum}",
  urldate = "{March, 2022}",
  year     = "{2021}",
  address  = "[[september 2021]]",
}

@MISC{Flavia2019,
  author = "{Flávia Albert}",
  title  = "{Device to assist people going through anxiety and panic attacks}",
  url    =
"{https://www.behance.net/gallery/75587455/Product-Design-for-Anxiety-and-Panic-Attacks}",
  urldate = "{March, 2022}",
  year     = "{2019}",
  address  = "[[January 2019]]",
}

@MISC{Katherine2017,
  author = "{Katherine Rybinski}",
  title  = "{Serenity Leaf}",
```

```

url      = "{https://www.behance.net/gallery/58074187/Serenity-Leaf}",
urldate  = "{March, 2022}",
year     = "{2017}",
address  = "{[October 2017]}",
}

@MISC{Oura2022,
author   = "{Oura ring}",
title    = "{Oura ring}",
url      = "{https://ouraring.com/}",
urldate  = "{March, 2022}",
year     = "{2022}",
address  = "{[early 2022]}",
}

@MISC{Akarsu2019,
author   = "{Akarsu K, Koç A, Ertuğ N.}",
title    = "{The effect of nature sounds and earplugs on anxiety in
patients following percutaneous coronary intervention: A randomized
controlled trial.}",
url      = "{https://pubmed.ncbi.nlm.nih.gov/31232088/}",
urldate  = "{March, 2022}",
year     = "{2019}",
address  = "{[early 2022]}",
}

@MISC{William2017,
author   = "{William McGhee}",
title    = "{MARCo}",
url      = "{https://www.clinicaltimes.com/mental-health/meet-marco/}",
urldate  = "{March, 2022}",
year     = "{2017}",
address  = "{[September 2017]}",
}

@MISC{Jludik2021,
author   = "{Jludik}",
title    = "{VIVETEENS}",
url      =
"{https://miaafrica.org/2021/11/07/vive-teens-personal-mental-wellness-compa
nion-for-teenagers/}",
urldate  = "{March, 2022}",
year     = "{2021}",
address  = "{[November2021]}",
}

@MISC{Ignacio2015,
author   = "{Igancio Buhigas}",
title    = "{Pacífica}",
url      =
"{https://www.eleconomista.es/apps/noticias/6840968/07/15/Pacifica-la-app-pa
ra-decir-adios-al-estres.html}",
urldate  = "{March, 2022}",

```

```
year = "{2015}",
address = "[{Julio2015}]",
}

@MISC{Marc2018,
author = "{Marc Hagen}",
title = "{Spire}",
url = "{https://www.closingthegap.com/meet-spire-health-tag-and-stone/}",
urldate = "{March, 2022}",
year = "{2018}",
address = "[{October2018}]",
}

@MISC{Fisher2022,
author = "{Fisher Wallace}",
title = "{Fisher Wallace Simulator}",
url =
"{https://www.fisherwallace.com/products/fisher-wallace-stimulator-499}",
urldate = "{March, 2022}",
year = "{2022}",
address = "[{2022}]",
}

@MISC{TheethicsCentre2016,
author = "{The ethics centre}",
title = "{The ethics centre}",
url = "{https://ethics.org.au/ethics-explainer-deontology/}",
urldate = "{Feb 2016}",
year = "{2022}",
address = "[{2016}]",
}

@MISC{Markkula2010,
author = "{Markkula}",
title = "{Markkula centre}",
url = "{https://ethics.org.au/ethics-explainer-deontology/}",
urldate = "{Dic 2010}",
year = "{2022}",
address = "[{2010}]",
}

@MISC{Burek2022,
author = "{Paul Burek}",
title = "{The ABC basics of the WBS Paul Burek}",
url =
"{https://www.pmi.org/learning/library/work-breakdown-structure-basics-5919}",
urldate = "{Apr2022}",
year = "{2022}",
address = "[{2022}]",
}
```

```
@article{SERRADOR2009,  
  title = {Stakeholder management: keeping your stakeholders thoroughly  
happy.},  
  journal = {PMI},  
  volume = {20},  
  number = {1},  
  pages = {7-18},  
  year = {2009},  
  issn = {1959-0318},  
  url =  
{https://www.pmi.org/learning/library/stakeholder-management-keeping-stakeholders-happy-6697},  
  author = {Serrador, P.},  
  abstract = {Stakeholder management is one of the key soft skills a  
project manager needs. Keeping the stakeholders engaged and happy is  
critical to project (and project manager) success. Those who have failed  
know the pitfalls. This paper will give an overview of stakeholder  
management as well as provide some practical tips to improving communication  
and relationships with stakeholders. It will cover the following areas:  
identifying and analyzing stakeholders, managing stakeholders, dealing with  
problem stakeholders, and listening to stakeholder concerns.}  
}
```

```
@article{PMI2013,  
  title = "The High Cost of Low Performance: The Essential Role of  
Communications",  
  volume = "10",  
  pages = "1-10",  
  year = "2013",  
  url =  
"https://www.pmi.org/learning/thought-leadership/pulse/essential-role-communications",  
  author = "PMI",  
}
```

```
@MISC{PMI2000,  
  author = "{Project Management Institute}",  
  title = "{PMBOK Guide}",  
  url =  
"http://pioneer.netserv.chula.ac.th/~sperapho/files/class/478/pmbok.pdf/",  
  urldate = "{Apr2022}",  
  year = "{2022}",  
  address = "{[April2022]}",  
}
```

```
@MISC{Hillson1999,  
  author = "{Hillson, David}",  
  title = "{Developing Effective Risk Responses}",  
  year = "{1999}",  
}
```

```
    address = "[[1999]]",
}

@MISC{Brunier2022,
  author = "{Brunier, Alison}",
  title = "{COVID-19 pandemic triggers 25% increase in prevalence of anxiety and depression worldwide}",
  year = "{2022}",
  address = "[[2022]]",
}

@MISC{Antaviana2018,
  author = "{Antaviana, C}",
  title = "{An international study shows that only 1 in 10 patients with anxiety disorders receives the right treatment}",
  year = "{2018}",
  address = "[[2022]]",
}

@article{Quality2022,
  title = "Quality Metrics",
  volume = "1",
  pages = "1",
  year = "2022",
  url =
  "https://project-management-knowledge.com/definitions/q/quality-metrics/#:~:text=Quality%20metrics%20are%20crucial%20in%20project%20management.%20It,particular%20project%20management%20tool%20is%20an%20actual%20value.",
  author = "Tom",
}

@MISC{EC2006,
  author = "{European Commission}",
  title = "{Machinery}",
  url =
  "{https://ec.europa.eu/growth/sectors/mechanical-engineering/machinery_en}",
  urldate = "{2006}",
  year = "{2022}",
  address = "[[April 2022]]",
}

@MISC{EC2004,
  author = "{European Commission}",
  title = "{Electromagnetic Compatibility (EMC)}",
  url =
  "{https://ec.europa.eu/growth/sectors/electrical-and-electronic-engineering-industries-eei/electromagnetic-compatibility-emc-directive_en}",
  urldate = "{2004}",
  year = "{2022}",
  address = "[[April 2022]]",
}
```

```
@MISC{EC2014,  
  author = "{European Commission}",  
  title  = "{Radio Equipment Directive (RED)}",  
  url    =  
  "{https://ec.europa.eu/growth/sectors/electrical-and-electronic-engineering-  
industries-eei/radio-equipment-directive-red_en}",  
  urldate = "{2014}",  
  year    = "{2022}",  
  address = "{[April 2022]}",  
}  
@MISC{EC2014,  
  author = "{European Commission}",  
  title  = "{Low Voltage Directive (LVD)}",  
  url    =  
  "{https://ec.europa.eu/growth/sectors/electrical-and-electronic-engineering-  
industries-eei/low-voltage-directive-lvd_en}",  
  urldate = "{2014}",  
  year    = "{2022}",  
  address = "{[April 2022]}",  
}  
@MISC{EC2003,  
  author = "{European Commission}",  
  title  = "{Restriction of Hazardous Substances in Electrical and  
Electronic Equipment (RoHS)}",  
  url    =  
  "{https://ec.europa.eu/growth/sectors/electrical-and-electronic-engineering-  
industries-eei/low-voltage-directive-lvd_en}",  
  urldate = "{2014}",  
  year    = "{2022}",  
  address = "{[April 2022]}",  
}  
@MISC{Salary2022,  
  author = "{ERI}",  
  title  = "{Estimator Engineering Cost}",  
  url    =  
  "{https://www.salaryexpert.com/salary/job/estimator-engineering-cost/portuga  
l/porto}",  
  urldate = "{2022}",  
  year    = "{2022}",  
  address = "{[April 2022]}",  
}
```

From:
<https://www.eps2022-wiki5.dee.isep.ipp.pt/> - **EPS@ISEP**

Permanent link:
<https://www.eps2022-wiki5.dee.isep.ipp.pt/doku.php?id=refnotes:bib>

Last update: **2022/06/18 22:02**

